

FIRST REPRODUCTIVE AND PRODUCTIVE RESULTS ON “RIBATEJANO PIG”

Rui Charneca¹; Carla Requetim²; Amadeu Freitas¹; José Neves¹; José Martins¹; José Nunes¹

¹Universidade de Évora, Instituto de Ciências Agrárias e Ambientais Mediterrânicas (ICAAM);

²Universidade de Évora

Abstract: The present trial aimed to study the effect of crossbreeding between Alentejano (AL) and Bísaro (BI) swine breeds (“Ribatejano pig”) on some reproductive and productive traits. Nine AL gilts and sows and six BI gilts were crossed with BI and AL boars, respectively. Mating and farrowing dates, prolificacy and litter size at 28d were registered for all sows. The pregnancy length of AL sows was shorter (111 ± 0.4 d vs 113.7 ± 0.5 d; $p=0.002$) than the observed on BI females. The BI gilts presented higher prolificacy rate than AL on both total born (11.0 ± 1.0 vs 6.7 ± 0.8 ; $P=0.004$) and born alive piglets (10.0 ± 1.0 vs 6.7 ± 0.8 ; $p=0.026$). The mortality rate was similar in both genotypes ($p=0.255$) being on average 12%, therefore at 28d after farrowing the litter size remained higher in BI sows (8.5 ± 0.8 vs 6.1 ± 0.6 ; $p=0.032$). A subset of each genotype (4 gilts) was supervised during farrowing and lactation (until 28d) and piglets were weighed at birth, 24h and 28d of live. Farrowing length was not significantly different ($p=0.253$) between genotypes, averaging 97 ± 22 min. When compared to ALBI (AL x BI) piglets, the BIAL (BI x AL) piglets were heavier at birth (1402 ± 46 g vs 1209 ± 36 g; $p=0.002$). Colostrum intake of piglets per kg of birth weight on the first 24h of life was similar between genotypes ($p=0.735$) being 289 ± 15 g for ALBI and 281 ± 19 g for BIAL piglets. The growth rate of piglets from birth to 28d and piglet weight at 28d was not different between genotypes ($p=0.161$ and $p=0.091$) averaging 195 ± 6 g and 6761 ± 181 g, respectively. Litter weight at 28d tended ($P=0.06$) to be higher on ALBI litters (56.6 ± 4.0 kg) than BIAL litters (43.2 ± 4.0 kg). This results obtained within the frame of Treasure project* are, at our knowledge, the first data of these crossbred piglets and could be used in future as reference for further studies and also for farmers that may try these cross on a commercial basis.

Keywords: Alentejano swine breed, Bísaro swine breed, crossbred piglets.

* This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 634476 (Project acronym: TREASURE). The content of this paper reflects only the author's view and the European Union Agency is not responsible for any use that may be made of the information it contains.